

## OEM OPEN FRAME LCD TOUCH SCREEN MONITOR

Superior Viewing Angles, Contrast & Brightness

Supports Auto Adjustments

Supports Worldwide power

Flexible mounting designed for Machines, Kiosk, Industrial Panels

Available in SAW, 5 Wire resistive touch technologies

Stable Reliable & Durable



Available in sizes


12.1", 15", 17", 19"

### OEM 17" Open Frame LCD Display Main Specifications:

Serial No.:	712Si	197S
Size:	17"	19"
Pixel Pitch (mm):	0.264	0.294
Brightness(cd/m <sup>2</sup> ):	300 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
Contrast Ratio:	500:1	700:1
Viewing Angle:	160o	160o
Response Time (ms):	8ms	5ms
H Frequency (KHz):	30-80	30-80
V Frequency (KHz):	55-75	55-75
Max. Resolution:	1280 x 1024	1280 x 1024
Display Color:	16.2M	16.2M
Band Wide (MHz):	135	135
Input Signal:	RGB	RGB
Input Connector:	15Pins D-Sub	15Pins D-Sub
Plug and Play:	DDC 1/2B	DDC 1/2B
Control:	OSD Manual	OSD Manual
USB Port:	-	-
Working Power:	37W	37W

<b>Sleeping Power:</b>	< 1W	< 1W
<b>Power Input:</b>	Internal 100-240V/AC	Internal 100-240V/AC
<b>Wall Mount:</b>	VESA 100mm	VESA 100mm
<b>Radiation Standard:</b>	CCC,cUL,FCC,MPRII	CCC,cUL,FCC,MPRII
<b>N Weight (Kg):</b>	4.25	4.9
<b>G Weight (Kg):</b>	5.25	6.1
<b>Working Temperature:</b>	5°C ~ 55°C	5°C ~ 55°C
<b>Storage Temperature:</b>	-20°C ~ 60°C	-20°C ~ 60°C

**17 " Open frame LCD Drawing**



## Contact for Sales

### SoftTouch Technologies

#18, First Floor, Raka Palace,  
Near Indian Overseas Bank  
Chinchwad,  
Pune – 411 033

Maharashtra, India

Office Phone: +91-20-64100281 / 65103865

Email: [sales@softtouch.co.in](mailto:sales@softtouch.co.in)

URL: [www.softtouch.co.in](http://www.softtouch.co.in)

#### International Sales Contact

Anand Kelkar

+919370275370

[anand@softtouch.co.in](mailto:anand@softtouch.co.in)